

Specification Sheet Velocity Vision 4.3 Comparison Chart

# **Contents**

Introduction	3
High-level Velocity Vision VMS product comparison	4
Detailed Velocity Vision VMS product comparison	6
High-level Velocity Vision client comparison	12
Detailed Velocity Vision client comparison	12

#### Introduction

Identiv Systems offers a wide range of VMS products optimized for different types of deployment and usage. This document provides an in-depth comparable outline of Identiv's Velocity Vision VMS products and the associated clients.

This document is intended as a technical sales tool with two primary purposes:

- To provide an overview of the features that each Velocity Vision product provides
- To support the selection of the optimal product by offering a visible comparison between the various products in the Velocity Vision product range

This document contains several separate comparison charts, for Velocity Vision VMS platform products and for Velocity Vision clients, where each product category has an overview comparison chart, followed by a more detailed and comprehensive chart.

The following Velocity Vision VMS platform products are covered:

- Velocity Vision Enterprise
- Velocity Vision Professional
- Velocity Vision Advanced
- Velocity Vision Standard

The following Velocity Vision clients are covered:

- Velocity Vision Smart Client
- Velocity Vision Web Client
- Velocity Vision Mobile

The document does not cover Velocity Vision Extensions or Identiv Utilities.

The information in this document only provides basic information. Refer to the individual product specification sheets for a complete listing of all features for a given Velocity Vision product.

Identiv reserves the right to change the product specifications without prior notice.

## **High-level Velocity Vision VMS product comparison**

The table below gives an overview of Identiv's Velocity Vision VMS products and their key capabilities.

Velocity Vision VMS Products	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise
Key Features				
Type of deployment	Single server	Centrally managed, multi- server	Centrally managed, multi- server	Centrally managed, distributed sites
Licensing	Perpetual	Perpetual	Perpetual	Perpetual
Maximum number IP devices <sup>1</sup> per recording server	48	Unrestricted	Unrestricted	Unrestricted
Number of recording servers per system	1	Unrestricted	Unrestricted	Unrestricted
Maximum numbers of users	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Customer Dashboard and Connected Services <sup>2</sup>	Supported	Supported	Supported	Supported
Alarm Manager	√ √	√ supported	√ Supported	√ ✓
Video out via Identiv Open Network Bridge	✓ ✓	<b>√</b>	√	✓ ✓
Dual authorization (Smart Client users)			✓ ✓	✓ ✓
Supports Velocity Vision Smart Client, Velocity Vision Web Client and Velocity Vision  Mobile	1	√ √	<b>√</b>	√ √
Secure HTTPS camera connectivity (on supported devices)	<b>√</b>	✓	✓	✓
Adding devices on HTTPS <sup>3</sup>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Single device firmware <sup>4</sup> upgrade	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Bulk device firmware <sup>4</sup> upgrade			<b>√</b>	<b>✓</b>
Map function	<b>√</b>	<b>√</b>	√	· /
Third-party application integration and support for video analytics <sup>5</sup>	√	√	√	<b>√</b>
Built-in Video Motion Detection (VMD) with Auto adjustable VMD sensitivity	√ ·	√ ·	<b>√</b>	√ ·
H.264, MJPEG, MPEG-4, MPEG-4 ASP & MxPEG	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
H.265 <sup>6</sup>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Adaptive streaming/playback	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Direct streaming (mobile server)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Microsoft Active Directory support	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>
External identity provider support (OIDC) SSO	·		· ✓	·
Metadata support	<b>√</b>	<b>√</b>	<b>√</b>	1
Centralized management	<b>√</b>	<b>√</b>	<b>√</b>	
Flexible event rule engine	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Hardware accelerated video decoding for Video Motion Detection (Quick sync)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Hardware accelerated video decoding for Video Motion Detection (NVIDIA)	-	-	<b>√</b>	<b>√</b>
Hardware accelerated video decoding in the Mobile Server	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Support for live video play without recording storage	<b>√</b>	√	√	<b>√</b>
Edge Storage and Scalable Video Quality Recording™	-	<b>√</b>	<b>√</b>	<b>√</b>
Smart Map functions	-	-	✓	<b>√</b>
Media database encryption and digital signing	-	-	√	√ ·
Recording Server communication encryption	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Management Server communication encryption	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Mobile Server communication encryption	<b>√</b>	√	√	<b>√</b>
Velocity Vision Management Server Failover	-	-	Requires license	Requires license
Hot & cold failover recording server	-	-	✓	<b>√</b>
Evidence Lock	-	-	-	· ✓
Velocity Vision Incident Manager	Requires license	Requires license	Requires license	· ✓
		· ·	·	
Supports Velocity Vision Smart Wall Identiv Federated Architecture™	-	-	Requires license Remote site	✓ Central/ Remote site
ldentiv Interconnect™	Remote site	Remote site	Remote site	Central/ Remote site

- <sup>1</sup> IP device can be an actual camera, video encoders, NVR/DVR, video services or other types of video/audio devices connected to the VMS' recording server. IP cameras or encoders should be included in the Identiv Supported Device List to count as one license per IP device otherwise it will require one license per enabled video channel. Please note that Specific IP device variants may not appear on the Supported Device List but will, however, be treated by Identiv as an IP device included in this list provided their equivalent base model is supported.
- <sup>2</sup> Requires active Identiv SSA
- <sup>3</sup> Applicable for devices integrated through Axis, Bosch, Hikvision, Hanwha, Panasonic and ONVIF drivers (drivers in Legacy Device Pack excluded)
- <sup>4</sup> Applicable only for devices integrated through Axis, Bosch, Hanwha and ONVIF drivers (drivers in Legacy Device Pack excluded)
- <sup>5</sup> Using Identiv Vision AI
- <sup>6</sup> Please check <a href="https://portal.identiv.com/user/login">https://portal.identiv.com/user/login</a> for graphic cards and performance requirements

### **Detailed Velocity Vision VMS product comparison**

The table below gives a detailed listing of all major features in the different Velocity Vision VMS products. The features are organized into categories for increased readability.

Velocity Vision VMS Products	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise
Features				
System components (software modules)				
Recording server	✓	✓	✓	✓
Hot & cold failover recording server	-	-	✓	✓
Maximum number of IP devices 1 per recording server	48	Unrestricted	Unrestricted	Unrestricted
Maximum number of recording servers per system	1	Unrestricted	Unrestricted	Unrestricted
Recording server manager	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Management Server	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Management Server compatible with Microsoft clustering	✓	✓	✓	✓
Management client (dedicated client application for local or remote management)	✓	✓	✓	<b>√</b>
Event server (for handling of events and alarms)	✓	<b>√</b>	<b>√</b>	<b>√</b>
Failover event server (redundant cluster)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Velocity Vision Mobile (server and client)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Velocity Vision Smart Client	✓	<b>√</b>	<b>√</b>	✓
Velocity Vision Web Client	✓	✓	✓	✓
/elocity Vision Smart Client Player (local playback/export)	✓	✓	✓	✓
Run servers as Windows Services	✓	✓	✓	✓
Available for AWS Cloud Deployment in AWS Marketplace	✓	√	✓	✓
Licensing				
Licensing <sup>2</sup>	Perpetual	Perpetual	Perpetual	Perpetual
Distributed operation				
dentiv Interconnect™	Remote site	Remote site	Remote site	Central/ Remote site
dentiv Federated Architecture™	-	-	Remote site	Central/ Remote site
Remote camera connection via Remote Connection Service	-	-	-	✓
Device support				
Support for ONVIF & PSIA compliant devices	✓	✓	✓	✓
Generic device support via Identiv universal driver	✓	<b>√</b>	✓	✓
Metadata from camera embedded analytics	✓	<b>√</b>	✓	<b>√</b>
Number of supported IP devices	11000+	11000+	11000+	11000+
secure HTTPS camera connectivity (on supported devices)	✓	✓	<b>√</b>	<b>√</b>
Adding devices on HTTPS <sup>3</sup>	✓	<b>√</b>	✓	✓
Single device firmware upgrade <sup>4</sup>	<b>√</b>	<b>√</b>	✓	<b>√</b>
Bulk device firmware upgrade <sup>4</sup>	· .	-	<b>√</b>	<b>√</b>
Device firmware version listing	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Jpdate hardware – refresh option	✓	✓	✓	✓
/ideo processing				
1.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
1.265 <sup>5</sup>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Metadata support	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Oual stream (live and recording) per camera	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Generic 360 de-warping	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Multi-live streaming	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
daptive streaming/playback	<b>√</b>	√	<b>√</b>	<b>√</b>
virect streaming (mobile server)	✓	✓	✓	✓
lient video stream down sampling (resolution	✓	<b>√</b>	✓	✓

Velocity Vision VMS Products	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise
Adjustable GOP size (MPEG4/H.264/H.265)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Send camera pre-alarm images (pre-recording	✓ ✓	<b>√</b>	<b>√</b>	✓ ✓
buffer) to recording server	V	<b>V</b>	<b>V</b>	•
Video recording speed up on motion, event or time schedule	✓	✓	✓	√
Built-in Video Motion Detection (VMD)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Auto adjustable VMD sensitivity	✓	✓	<b>√</b>	<b>√</b>
Hardware accelerated video decoding for VMD (Quick Sync)	✓	✓	<b>√</b>	<b>√</b>
Hardware accelerated video decoding for VMD (NVIDIA)	-	-	<b>√</b>	✓
Hardware accelerated video decoding in the Mobile Server	✓	✓	✓	✓
Motion metadata generated during VMD analysis	✓	✓	<b>√</b>	✓
VMD exclusion zones	<b>√</b>	✓	1	<b>√</b>
Video motion detections per server		All connec	cted cameras	
Audio				
One-way audio live and recording support	✓	<b>√</b>	✓	✓
Two-way audio live support	✓	✓	✓	✓
Two-way audio – recording support	✓	✓	✓	✓
Two-way AAC Audio support	✓	✓	✓	✓
Maximum number of supported audio channels	48	Unrestricted	Unrestricted	Unrestricted
Playback of audio files on rule	✓	✓	✓	✓
Pan-tilt-zoom (PTZ)				
Preset positions per camera	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Go-to preset on event	√	✓	√	√
Preset patrolling	<b>√</b>	<b>√</b>		<b>√</b>
Combine patrolling and go-to preset on event	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Scanning/transition speed	·	· ✓		
Number of PTZ priority levels for prioritized PTZ control <sup>6</sup>	1	3	32,000	32,000
I/O and events				
Hardware configurable events (such as I/O input, motion, tampering, temperature, communication failure)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Motion detection events (VMD in recording	✓	✓	<b>√</b>	✓
server)	,	,	,	,
System error events (for example disk full)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Manual / User defined events	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Generic events from external systems  Event-based device configuration	✓ ✓	√ √	✓ ✓	√ √
Event-based notification	✓ ✓	<b>√</b>	✓ ✓	✓ ✓
Event-based output control	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Event-based device start/stop	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Event-based matrix control	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Flexible event rule engine for definition of actions on events	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Bookmark function				
Manual bookmarking (quick bookmarking + bookmarking with details)	-	✓	✓	✓
Rule-based bookmarking	-	-	<b>√</b>	<b>√</b>
Sharing functionality				
Sharing bookmarks between Mobile Clients	-	<b>√</b>	✓	<b>√</b>
Sharing a link to camera's live video stream between Mobile Clients	-	<b>√</b>	<b>√</b>	<b>√</b>
Evidence Lock				
Lock video for one or multiple cameras	-	-	-	<b>√</b>
Retrieve overview of locked video sequences	-	-	-	<b>√</b>
Define available retention times	-	-	-	✓
Alarm Manager				
Alarm description with work instructions and optional initial owner of alarm	✓	✓	<b>√</b>	<b>√</b>
Time profiles for alarms	✓	✓	✓	✓
Manage role-based alarms	✓	✓	✓	✓
View triggered alarms	✓	✓	✓	✓

Velocity Vision VMS Products	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	
Manage alarms (reassign, change status, comment)	<b>√</b>	<b>√</b>	<b>√</b>	✓	
Push alarms to users of Velocity Vision Mobile <sup>7</sup>	<b>√</b>	<b>√</b>	✓	<b>√</b>	
Maximum number of related cameras in alarm preview window	15	15	15	15	
Number of alarm priority levels	32,000	32,000	32,000	32,000	
Customizable alarm priority levels, categories, statuses, and result codes	✓	✓	✓	✓	
Customizable sound notification	✓	✓	✓	✓	
Alarm handling reporting	✓	✓	✓	✓	
Alarm logging	✓	✓	✓	✓	
Recording server, storage and archiving					
Pre-recording buffer in RAM	√ 	√ Unanatriata d	√ 	√ 	
Video retention time	Unrestricted Unrestricted	Unrestricted Unrestricted	Unrestricted Unrestricted	Unrestricted Unrestricted	
Recording capacity per device/day Archiving of recordings with network drive support	√	✓	✓	√	
Online access to archives	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Archiving schedules	Hourly	Hourly	Hourly	Hourly	
Storage definition and retention time per device	<i>,</i>	✓	√ ·	√ ·	
Storage definition and retention time that can be applied to individual cameras or common for multiple devices	✓	J	✓	✓	
Multi-stage video storage and data grooming	-	-	✓	✓	
Storage overview (used vs. available space) of available storage drives	✓	<b>√</b>	<b>√</b>	√	
Support for live video play without recording storage	✓	✓	✓	✓	
Event on premature deletion of video due to insufficient physical storage	✓	✓	✓	✓	
Edge Storage support with flexible retrieval	-	✓	✓	✓	
Scalable Video Quality Recording™	-	✓	<b>√</b>	✓	
Evidence Lock  Media database encryption and digital signing	-	-	- 🗸	√ √	
Encryption of communication with connected servers/clients/integrations	✓	✓	√	√ √	
Multicast support	-	-	<b>√</b>	<b>√</b>	
Integration options			v		
Plug-in, Protocol, Component integration via MIP SDK and API	✓	✓	✓	√	
System Configuration via MIP SDK and REST API	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Live and playback Video streaming via WebRTC	<b>√</b>	<b>√</b>	<b>√</b>	✓	
Device integration through Driver Framework	✓	✓	✓	✓	
Metadata integration	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Event and alarm integration via MIP SDK, REST API (beta), and WebSocket	✓	<b>√</b>	<b>√</b>	✓	
Event and action rule engine integration via MIP SDK	✓	<b>√</b>	✓	✓	
Video processing service in MIP SDK	✓	<b>√</b>	<b>√</b>	<b>√</b>	
Identiv AI Bridge for Analytics integrations	<b>√</b>	√	√ /	√	
Webhooks Support for Velocity Vision Extensions	<b>√</b>	<b>√</b>	✓	<b>√</b>	
Velocity Vision Access	Requires license	Requires license	Requires license	Requires license	
Velocity Vision LPR	Requires license	Requires license	Requires license	Requires license	
Velocity Vision Smart Wall	-	-	Requires license		
Velocity Vision Transact	Requires license	Requires license	Requires license	Requires license	
Velocity Vision Retail	Requires license	Requires license	Requires license	Requires license	
Velocity Vision Screen Recorder 8	√ Danuina liaana	√ Demoisse lieenee	V Province linears	<b>√</b>	
Velocity Vision Incident Manager	Requires license	Requires license	Requires license	Poquires license	
Velocity Vision Management Server Failover Identiv Open Network Bridge	<u>-</u> ✓	-	Requires license	Requires license	
Velocity Vision Rapid REVIEW	Requires license	Requires license	Requires license	Requires license	
Velocity Vision Hospital Assist	Requires license	Requires license	Requires license	Requires license	
Management					
Maximum number of clients	Unrestricted	Unrestricted	Unrestricted	Unrestricted	

Velocity Vision VMS Products	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise
Configuration wizards for aided system setup	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Device scanning with device model detection		<b>√</b>	<b>√</b>	<b>√</b>
-				
Device replacement wizard	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Management Client device search filter	✓	<b>√</b>	<b>√</b>	<b>√</b>
Move device wizard for moving hardware devices (e.g. cameras) between recording servers	-	<b>√</b>	<b>√</b>	✓
Centralized recording server & device management	✓	✓	✓	✓
Device group support	✓	✓	✓	✓
Management Client profiles	-	-	-	✓
Centralized management of Velocity Vision Smart Client application options (Number of supported Velocity Vision Smart Client profiles)	-	3	12	Unrestricted
Day length time profile	✓	<b>√</b>	<b>√</b>	✓
On-the-fly configuration changes	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Scheduled start/stop of devices	✓	<b>√</b>	<b>√</b>	<b>√</b>
Configuration reporting	· ✓		· √	· ✓
Built-in backup-restore support	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Automatic license activation of online systems	· /	· ✓		· /
Offline license activation		<b>√</b>	<b>√</b>	<b>√</b>
Add/replace devices without reactivation in of- fline systems	√ 	· /	✓	✓
Customizable access port with NAT support	✓	<b>√</b>	<b>√</b>	<b>√</b>
Device Password Management <sup>9</sup>	- -	<b>√</b>	<b>√</b>	<b>√</b>
Initial setup of credentials on devices <sup>10</sup>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Current device user handling <sup>11</sup>	- -	<b>√</b>	<b>√</b>	<b>√</b>
Network configuration for devices <sup>11</sup>		<b>√</b>	<b>√</b>	<b>√</b>
System Monitoring		V	V	<b>V</b>
Customizable dashboard for task / component specific live monitoring	-	-	√	<b>√</b>
Customizable event trigger thresholds for Nor- mal, Warning and Critical levels	-	-	<b>√</b>	<b>√</b>
Real-time and historical system status of management server, event server, recording servers and other Velocity Vision servers	-	-	<b>√</b>	<b>√</b>
Real-time and historical system status of individual cameras	-	-	✓	✓
Dedicated System Monitor tab that can be displayed as floating window	-	-	✓	✓
Velocity Vision Smart Wall				
Supports Velocity Vision Smart Wall video wall	-	-	Requires license	<b>√</b>
Number of Velocity Vision Smart Walls and Velocity Vision Smart Wall displays	-	-	Unrestricted	Unrestricted
Number of concurrent video streams	-	-	Unrestricted	Unrestricted
Maximum number of content positions per display	-	-	100	100
Presets for display layouts and camera content		-	<b>√</b>	<b>√</b>
Live video stream content	-	-	<b>√</b>	<b>√</b>
Velocity Vision Smart Client controlled playback of video	-	-	<b>√</b>	<b>√</b>
Support for rich video wall content, including maps and Smart Maps, still images, http pages, alarms, texts, bookmarks, system monitor, etc.	-	-	<b>√</b>	V
Rule-based control of layout and content (including text messages)	-	-	<b>√</b>	✓
System alarms and notification				
Email notification	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Multiple notification profiles	✓ ✓			✓ ✓
SNMP trap	· · · · · · · · · · · · · · · · · · ·	√ -	√ √	✓ ✓
			V	V
User authentication and rights management	,	,	,	,
Centralized user management	✓	<b>√</b>	<b>√</b>	√
Tiered management rights	-	-	-	√
Inheritance of user rights	√	✓	<b>√</b>	√
Time schedule-controlled user access to devices and functions	-	-	-	<b>√</b>
Restrict user access by client type (Web Client, Velocity Vision Mobile and Smart Client)	✓	✓	✓	✓

Velocity Vision VMS Products	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise
Basic User (Velocity Vision application accounts)	✓	✓	✓	✓
Windows User (local Windows accounts)	✓	✓	✓	✓
Microsoft Active Directory User (central Active Directory accounts)	✓	✓	✓	<b>√</b>
External identity provider support (OIDC) p	✓	✓	✓	✓
Dual authorization (Smart Client users)	✓	<b>√</b>	✓	✓
Dual authorization (Management Client users) 12	✓	✓	✓	✓
Two-step verification (Web and Mobile Client users)	-	-	-	✓
Windows NTLM (NT LAN Manager) authentication	✓	✓	✓	✓
Kerberos authentication	<b>√</b>	<b>√</b>	✓	✓
Biometry support in Mobile Clients	✓	✓	✓	✓
MDM (Mobile Device Management) support in Mobile Client	✓	<b>√</b>	<b>√</b>	✓
Logging				
System and audit logging	✓	<b>√</b>	✓	✓
Rule logging	✓	✓	✓	✓
Compliance and certification				
FIPS 140-2 compliance	✓	✓	✓	✓
Europrise privacy seal (GDPR ready)		-		✓
Languages (Management Interface)				
Chinese (Simplified)	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Chinese (Traditional) <sup>13</sup>	· ✓	· ✓	√ ·	· /
Danish <sup>13</sup>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
English	· ✓	· ✓	· ✓	· ✓
French	· ✓	· ✓	· ✓	· /
German	✓	<b>√</b>	✓	<b>√</b>
Italian <sup>13</sup>	· ✓	√	· ✓	· ✓
Japanese	✓	<b>√</b>	<b>√</b>	<b>√</b>
Korean	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Portuguese (Brazilian)	✓	<b>√</b>	✓	✓
Russian <sup>13</sup>	✓	<b>√</b>	<b>√</b>	<b>√</b>
Spanish	✓	<b>√</b>	<b>√</b>	<b>√</b>
Swedish <sup>13</sup>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Turkish <sup>13</sup>	✓	✓	✓	✓

<sup>&</sup>lt;sup>1</sup> IP device can be an actual camera, video encoders, NVR/DVR, video services or other types of video/audio devices connected to the VMS' recording server. IP cameras or encoders should be included in the Identiv Supported Device List to count as one license per IP device otherwise it will require one license per enabled video channel. Please note that Specific IP device variants may not appear on the Supported Device List but will, however, be treated by Identiv as an IP device included in this list provided their equivalent base model is supported.

<sup>&</sup>lt;sup>2</sup> IP cameras or encoders should be included in the Identiv Supported Device List to count as one license per IP device otherwise it will require one license per enabled video channel.

<sup>&</sup>lt;sup>3</sup> Applicable for devices integrated through Axis, Bosch, Hikvision, Hanwha, Panasonic and ONVIF drivers (drivers in Legacy Device Pack excluded)

<sup>&</sup>lt;sup>4</sup>Applicable only for devices integrated through Axis, Bosch, Hanwha and ONVIF drivers (drivers in Legacy Device Pack excluded)

<sup>&</sup>lt;sup>5</sup> Please check <u>https://portal.identiv.com/user/login</u> for graphic cards and performance requirements

<sup>&</sup>lt;sup>6</sup> In Standard, ongoing PTZ operations cannot be interrupted

<sup>&</sup>lt;sup>7</sup> Requires Identiv SSA coverage

<sup>&</sup>lt;sup>8</sup> One device license required per screen recorder used

<sup>&</sup>lt;sup>9</sup> Not supported for all devices. For details read latest Identiv Velocity Vision device pack release notes

 $<sup>^{\</sup>rm 10}$  This feature is not available for devices with factory default credentials.

 $<sup>^{11} \,</sup> Applicable \, only \, for \, devices \, integrated \, through \, the \, Identiv \, ONVIF \, drivers \, and \, that \, are \, ONVIF \, Profile \, T \, \& \, Q \, compliant \, drivers \, and \, drivers \, and \, drivers \,$ 

<sup>&</sup>lt;sup>12</sup> Users must be members of the administrator role

 $<sup>^{\</sup>rm 13}$  Installation and user interface localized. Help system and manuals in English only

## **High-level Velocity Vision client comparison**

The table below gives an overview of the different Velocity Vision clients that can be used together with Identiv's Velocity Vision VMS products.

Velocity Vision client	Velocity Vision Mobile	Velocity Vision Web Client	Velocity Vision Smart Client
Key Features			
User platform	Smartphones and tablets	Web browsers	Windows PC
User mobility	High	Medium	Low
Installation required	✓	-	✓
User authentication	✓	✓	✓
Dual authorization	-	-	✓
Two-step verification	✓	✓	-
Secure (HTTPS) client-server connection	✓	✓	-
Camera search	✓	✓	✓
Generic 360 dewarping	-	-	✓
View live video	✓	✓	✓
Control PTZ cameras	✓	✓	✓
Advanced PTZ camera control	-	-	✓
PTZ specific camera icons	-	-	✓
Alarm handling	✓	✓	✓
Push Notification <sup>1</sup>	✓	-	-
Interactive maps	-	-	✓
Smart Map	✓	-	✓
Trigger I/O events	✓	✓	✓
Playback	Single camera	Multi camera	Multi camera
Dedicated Search tab (centralized Search)	-	-	✓
Evidence Lock	-	-	✓
Velocity Vision Incident Manager	-	-	✓
Export/share video from one camera	✓	✓	✓
Export video from multiple cameras	-	✓	✓
Storyboard function in export	-	-	✓
Include Velocity Vision Smart Client – Player in export	-	-	✓
Video Push with audio support	✓	-	-
Dynamic bandwidth adaptation	✓	✓	-
Adaptive streaming	✓	✓	✓
Adaptive playback	-	-	✓
Direct streaming	✓	✓	-
Hardware accelerated video decoding	-	-	✓
Manage access control	✓	-	✓
Cameras and view groups	✓	✓	✓

<sup>&</sup>lt;sup>1</sup> Requires Identiv SSA coverage

#### **Detailed Velocity Vision client comparison**

This section provides a detailed comparison between the different Velocity Vision clients, both in relation to each other, and the Velocity Vision VMS platforms. The latter is important because some functionality and support of the clients are determined by the specific Velocity Vision product or product version. The features are organized into categories for increased readability.

Velocity Vision Client		Velocity Vision Mobile Velocity Vision Web Client			٧	elocity Visio	on Smart Clien	t				
Feature set when used with specific Velocity Vision VMS platform	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise
General view handling												
Number of view layouts			2			;	2				41	
Maximum view items per view		1	100			10	00			1	.00	
Optimized view layouts for 4:3 and 16:9 display ratios			-				-				✓	
Corridor optimized view layouts			-				-				<b>√</b>	
Optimized view layouts for landscape and portrait displays			✓				-				✓	
Cameras from multiple Velocity Vision servers	-		<b>√</b>		-		<b>√</b>		-		<b>√</b>	
Support for Shared Views and Private Views			-			,	/				<b>√</b>	
Velocity Vision Smart Wall views			-				-			-		Requires License
Images and active HTML pages in views			-				-				<b>√</b>	
Hotspot and Carousel in views			-				-				<b>√</b>	
Virtual Matrix in views			-				-				<b>√</b>	
Display bounding boxes based on metadata			-				-				<b>√</b>	
Full screen mode			✓			•	/				✓	
Multi-window functionality with support for full screen or floating windows with synchronized or independent operation			-				-				✓	
Switch to view by number			-				-				<b>√</b>	
Initial default view <sup>1</sup>			<b>√</b>				/				<b>√</b>	
Camera search			✓			V	/				✓	
Automatic restore views and windows at login			✓				/				✓	
Live view												
Update on motion only			-				-				✓	
One-way audio support			✓				/				✓	
Two-way audio support			✓				/				✓	

Velocity Vision Client	Velocity \	ision Mobile	Velocity	Vision Web Client	Velocity Vision S	Smart Client
Feature set when used with specific Velocity Vision VMS platform	Velocity Vision Standard Velocity Vision Advanced	Velocity Vision Professional Velocity Vision Enterprise	Velocity Vision Standard Velocity Vision Advanced	Velocity Vision Professional Velocity Vision Enterprise	Velocity Vision Standard Velocity Vision Advanced	Velocity Vision Professional Velocity Vision Enterprise
Broadcasting audio		-		√	/	
Start/stop recording in view		-		-	√ √	
Independent playback in live mode		-		_		
Replace cameras in view without changing view setup		-		-	✓ ✓	
Send camera to Virtual Matrix		-		-		
Share video image	, ,	talled communication (such as email)			Print, copy to and save t	
Switch to camera by number		-		-	√ v	-
PTZ support					· · · · · · · · · · · · · · · · · · ·	
Define presets in the client application				-	<b>√</b>	
Define and control patrolling schemes in the client application		-		-	-	✓
View who has PTZ control and time to automatic release		-		-	<b>√</b>	
Lock PTZ control		-		-	-	<b>√</b>
Go to preset positions		✓		✓	<b>√</b>	
Pause patrolling at manual operation		√				
Immervision Enables® panomorph lens support		-		-		
Joystick support		-		-	✓	
Assign commands to keyboard shortcuts and joystick buttons		-		-	✓	
Auxiliary commands (wash and wipe)		-		-	✓	
I/O and events control						
Camera overlay buttons		-		-	✓	
Manually activate events and trigger outputs		✓		✓	✓	
Audio and Playback						
Maximum view items per view		1	Dynamic, 4-18 de	pending on screen resolution	100	
Playback mode	Single	e camera	N	/lulti camera	Multi can	mera
Recording search		✓		✓	✓	
Recent history of recording sequences per camera		✓		-	✓	
Time/date search		<b>√</b>		<b>√</b>	✓	
Independent playback in playback mode		-		-	✓	
Event/alert list in recording		-		-	✓	
Graphical timeline		✓		✓	✓	
Adjust playback speed		✓		✓	✓	
Single frame step (forward/backward)		✓		✓	✓	
One-way audio support		✓		✓	✓	
Two-way audio support		✓		✓	✓	
Broadcasting audio		-		✓	✓	

Velocity Vision Client		Velocity Vis	sion Mobile	:		Velocity Visi	on Web Client			Velocity Visi	on Smart Clie	nt
Feature set when used with specific Velocity Vision VMS platform	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise
Digital zoom		,	/				√				√	
Share video image	Via locall	installed com ( such a:	munication a	pplications			mage export		Prir	nt, copy to clip	board and save	to file
Print report with comments							-				✓	
Privacy masking Privacy masking			/				<b>√</b>				✓	
Search												
Dedicated Search tab (centralized Search)							-				<b>√</b>	
Sequence Search							-				√	
Motion Search							-				√	
Bookmark Search	-		✓		-		<b>√</b>				√	
Alarm Search							-					<b>√</b>
Event Search							-					<u>,</u> √
Velocity Vision LPR Search							-					<u>√</u>
People Search <sup>2</sup>							-				1	
Vehicle Search <sup>2</sup>							-				√	
Location Search <sup>2</sup>							-				√	
Multi-category Search and sort results by relevance			-				-			-		<b>√</b>
Visualize location of Search result			-				-			-		✓
Save search templates							-					✓
3 <sup>rd</sup> party search support							-				<b>√</b>	•
Bookmark function											•	
Manual bookmarking (quick bookmarking and bookmarking with details)	-		✓		-		<b>√</b>		-		✓	
Create, edit, and delete bookmarks	-		✓		-		✓				✓	
Instant preview of bookmarks in timeline							-		-		✓	
Listing and previewing of bookmarks in Centralized search			-				-		-		✓	
Print bookmark report							-		-		✓	
Direct video export of bookmark							-		-		<b>√</b>	
Search and apply filters to bookmarks	-		✓		-		✓		-		✓	
Sharing functionality												
Sharing bookmarks between Mobile clients	-		<b>√</b>				-				-	
Sharing a link to camera's live video stream between Mobile Clients	-		<b>√</b>				-				-	
Alarm Manager												
Dedicated Alarm Manager tab that can be displayed as floating window							-		-		<b>√</b>	

Feature set when used with specific Velocity Vision VMS platform  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm preview Verw Items in normal carriers a views  Alarm list and alarm previews with views in the views of the view	Velocity Vision Client	Velocity Vis	ion Mobile	Velocity Vi	sion Web Client	Velocity Visi	on Smart Client
mal camera views		Velocity Vision Standard Velocity Vision Advanced	Velocity Vision Professional Velocity Vision Enterprise	Velocity Vision Standard Velocity Vision Advanced	Velocity Vision Professional Velocity Vision Enterprise	Velocity Vision Standard Velocity Vision Advanced	Velocity Vision Professional Velocity Vision Enterprise
Sort and fibring functions	·	-			-		1
Instant preview of primary and related cameras			/		_		/
Manage alarms (cansaign & thange status)         ✓         ✓         ✓           Manage alarms (comment)         - <td>-</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	-						
Manage alarms (comment)					./		•
Integration with map function Alarm description/work instructions  Jam description/work instructions  Jam description/work instructions  Jam description/work instruction  Alarm description map in alarm list  Combined access to live and playback video  Desktop nortification for alarms  Push Notification of alarms  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priority) levels  Push Notification at new alarm (configurable per priorit							
Alarm description/work instructions         /					•		
Escalariand forwarding handling Alarm handling reports with print function Combined access to live and playback video Combined access video (Combined Video Combined access video Combined access video Combined access video (Combined Video Combined access video Combined a							•
Alarm loading reports with print function Alarm loading reports with print function Alarm load to maps in alarm list Combined access to live and playback video Desktop notification for alarms Audio notification for alarms Audio notification at new alarm (configurable per priority level) Push Notification <sup>3</sup> Push Notificati	• • •						
Alam tocation maps in alam list   Combined access to live and playback video   Combined access to live access to live and playback video   Combined access to live access							
Combined access to live and playback video Desktop notification for alarms Audin notification at new alarm (configurable per priority (evel) Push Notification <sup>1</sup> Audin notification <sup>2</sup> Audin notification <sup>3</sup> Audin notification at new alarm (configurable per priority (evel) Augination  Standard graphical file formats supported for maps Audinotion  Standard graphical file formats supported for naps  Number of linked map layers supported Audinotification of speakers, microphones and output devices Drag and-drop and point-and-click definition of map elements Audinotification of the name and system performance  Drag and-drop and point-and-click definition of map elements Audinotification of the name and system performance  CAD maps support  CAD maps support for Bing, Google and Open-StreetMap  Offline map services supported for Open-StreetMap  Offline map serv							•
Desistop notification for alarms Audio notification at new alarm (configurable per priority (vels) Push Notification* Push Noti	•						
Audio notification at new alarm (configurable per priority level) Push Notification <sup>3</sup> Volume of linked map layers supported for maps Number of linked map layers supported Video preview Video previe	, ,						•
Per priority level     Push Notification	·						
Emergency alert	per priority level)						<b>V</b>
Map function   Standard graphical file formats supported for maps   Standard graphical file formats supported for maps   Standard graphical file formats supported   Standard graphical file formats supported for graphical file formats supported for graphical file formats support for Bing, Google and OpenStreetMap files distributed via Identity   Standard graphical file formats support for graphical for graphical for graphical file formats support for graphical for graphica					-		-
Standard graphical file formats supported for maps Number of linked map layers supported Video preview Video preview Integrated control of speakers, microphones and output devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance Smart Map function  CAD maps support GIS maps support GIS maps support GIS maps support OPINITE map services support for Bing, Google and OpenStreetMap OPINITE map services supported for Open-StreetMap OPEnStreetMap tiles distributed via Identity StreetMap OPENSTREETMAP OPENSTREETMAP OPENSTREETMAP OPENSTREETMAP OPENSTREETMAP OR IN COMMAND COMMAN		V	/		-		-
maps         Mumber of linked map layers supported         -         -         -         Unterstand Control of Speakers, microphones and output devices         - <td>•</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	•						
Video preview Integrated control of speakers, microphones and output devices Drag-and-drop and point-and-click definition of map elements Integrated PTZ control Real-time system integrity overview and system performance  Smart Map function  CAD maps support CAD maps support GIS maps support of Bing, Google and OpenStreetMap Offline map services supported for Open-StreetMap Offline map services supported for Open-StreetMap CAD maps support CAD maps support CAD maps support CAD maps support or Bing, Google and OpenStreetMap Offline map services supported for Open-StreetMap CAD maps services CAD maps services CAD maps services supported for Open-StreetMap CAD maps services supported for Open-StreetMap CAD maps services supported for Open-StreetMap CAD maps services CAD maps servic		-			-		✓
Integrated control of speakers, microphones and output devices  Drag-and-drop and point-and-click definition of map elements Integrated PTZ control  Real-time system integrity overview and system performance  Smart Map function  CAD maps support  GIS maps support for Bing, Google and OpenStreetMap  OpenStreetMap  OpenStreetMap tiles distributed via Identiv map services  GIS maps support  GIS maps support  GIS maps support or Supported for Open-streetMap  OpenStreetMap  CAD map services supported for Open-streetMap  GIS maps services supported for Open-streetMap  OpenStreetMap tiles distributed via Identiv map services  GIS maps support  GIS maps services  GIS maps support or Supported for Open-streetMap  OpenStreetMap tiles distributed via Identiv map services  GIS maps services  GIS maps support  GIS maps support or Support for Support for Supported for Open-streetMap  OpenStreetMap tiles distributed via Identiv map services  GIS maps support  GIS maps support  GIS maps support for Supported for Open-streetMap  OpenStreetMap tiles distributed via Identiv maps services  GIS maps support  GIS m	Number of linked map layers supported	-			-	Unre	estricted
Integrated control of speakers, microphones and output devices  Drag-and-drop and point-and-click definition of map elements  Integrated PTZ control  Real-time system integrity overview and system performance  Smart Map function  CAD maps support  GIS maps support for Bing, Google and Open-StreetMap  OpenStreetMap  OpenStreetMap  OpenStreetMap tiles distributed via Identiv map services  GIS maps support  GIS maps support  GIS maps support solution  CAD map services support for Bing, Google and Open-StreetMap  OpenStreetMap  OpenStreetMap  CAD map services supported for Open-StreetMap  OpenStreetMap tiles distributed via Identiv map services  GIS maps support  GIS maps services  GIS maps support solution		-			-		✓
map elements Integrated PTZ control   Real-time system integrity overview and system performance   Smart Map function   CAD maps support   GIS maps support   Online map services support for Bing, Google and OpenStreetMap   OpenStreetMap   OpenStreetMap tiles distributed via Identiv map services   Camera and camera clusters		-			-		
Real-time system integrity overview and system performance  Smart Map function  CAD maps support  GIS maps support  Online map services support for Bing, Google and OpenStreetMap  OpenStreetMap  OpenStreetMap tiles distributed via Identiv map services  CAM map services  OnenstreetMap  OpenStreetMap  Camera and camera clusters  OpenStreetMap  OpenStr		-			-		✓
Performance Smart Map function  CAD maps support  GIS maps support  Online map services support for Bing, Google and OpenStreetMap  OpenStreetMap  OpenStreetMap tiles distributed via Identiv map services  Camera and camera clusters  OpenStreetMap	Integrated PTZ control	-			-		✓
CAD maps support  GIS maps support  Online map services support for Bing, Google and OpenStreetMap  Offline map services supported for Open-StreetMap  OpenStreetMap  OpenStreetMap  Camera and camera clusters		-			-		✓
CAD maps support  GIS maps support  Online map services support for Bing, Google and OpenStreetMap  Offline map services supported for Open-StreetMap  OpenStreetMap  OpenStreetMap  Camera and camera clusters	Smart Map function						
GIS maps support  Online map services support for Bing, Google and OpenStreetMap  Offline map services supported for Open-StreetMap  OpenStreetMap  OpenStreetMap tiles distributed via Identiv map services  Camera and camera clusters  -		-	-		-	-	<b>√</b>
Online map services support for Bing, Google and OpenStreetMap  Offline map services supported for Open-StreetMap  OpenStreetMap  OpenStreetMap tiles distributed via Identiv map services  Camera and camera clusters		-	<b>√</b>				
Offline map services supported for Open-StreetMap  OpenStreetMap tiles distributed via Identiv map services  Camera and camera clusters  -	Online map services support for Bing, Google	-	-		-	-	
OpenStreetMap tiles distributed via Identiv map services  Camera and camera clusters  - \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Offline map services supported for Open-	-	<b>√</b>		-	-	<b>√</b>
	OpenStreetMap tiles distributed via Identiv	-	<b>√</b>		-	-	<b>√</b>
	•	-	<b>√</b>				<b>√</b>
	Alarms	_	-			_	<b>√</b>

Velocity Vision Client	Velocity Vi	ision Mobile	Veloci	ty Vision Web Client	Velocity Visi	Velocity Vision Smart Client			
Feature set when used with specific Velocity Vision VMS platform	Velocity Vision Standard Velocity Vision Advanced	Velocity Vision Professional Velocity Vision Enterprise	Velocity Vision Standard Velocity Vision	Velocity Vision Professional Velocity Vision Enterprise	Velocity Vision Standard Velocity Vision Advanced	Velocity Vision Professional Velocity Vision Enterprise			
Input/output devices	-	-		-	-	√			
Microphones	-	-		_	_	<b>√</b>			
Video preview	-	-		-	-	<i></i>			
Integrated control of microphones and input devices	-	-		-	-	· ✓			
Support for Identiv Federated Architecture	-	-		-	-	<b>√</b>			
Integrated PTZ control	-	-		-	-	<b>√</b>			
Auto-place devices on map via positioning and direction settings	-	✓		-	-	<b>√</b>			
Link to standard maps		-		-	-	<b>√</b>			
Building support		-		-	-	<b>√</b>			
Velocity Vision Smart Wall									
Supports Velocity Vision Smart Wall video wall		-		-	-	Option Included			
User control of layout and content		-		-	-	<b>√</b>			
User control playback of video in Velocity Vision Smart Wall		-		-	-	✓			
Local subscription to Velocity Vision Smart Wall views for local display	-			-	-	<b>√</b>			
Push rich content to Velocity Vision Smart Wall, such as maps, still images, http pages, alarms, book- marks, system monitor, etc.		-		-	-	✓			
Send manual text messages to Velocity Vision Smart Wall		-		-	-	✓			
Evidence Lock and video restrictions	·					·			
Evidence lock video for one or multiple cameras		-		-	-	✓			
Retrieve overview of locked video sequences		-		-	-	<b>√</b>			
Video restrictions		-		-	-	✓			
Incident Manager									
Velocity Vision Incident Manager		-		-	Requires licens	se 🗸			
Export									
Export in still image format (JPEG)		✓		✓		✓			
Export with audio support in media player format (AVI & MKV)		✓		<b>√</b>		✓			
Export in Velocity Vision format		-		✓		✓			
Server-side export	<b>√</b>			✓		-			
Storyboard function in export		-		-		✓			
Adaptive View in Velocity Vision format		-		-		✓			

Velocity Vision Client		Velocity Vi	sion Mobile		Velocity Vision Web Client				Velocity Vision Smart Client				
Feature set when used with specific Velocity Vision VMS platform	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	
Encrypted export with password protection and digital signing <sup>4</sup>	·						√		<b>√</b>				
Verification of digital video signatures in Smart Client – Player <sup>4</sup>			-		✓					✓			
Prevent Re-export option <sup>4</sup>			-			Alwa	ays on				✓		
Auto-export of Velocity Vision Smart Client – Player <sup>4</sup>			-				-				✓		
Preserve system defined privacy masks			✓				✓				✓		
Additional export specific privacy masks			-				-				✓		
Liftable user-right protected privacy masks			-		-				✓				
Direct export to optical media			-				-	✓					
Flexible camera selection for export			-				-		✓				
Bulk export to multiple media formats			-		-				√				
General and camera specific export comments <sup>4</sup>			-		-			√					
Pre/post comment slides (media player format only)			-		-				<b>√</b>				
Video Push													
Video Push			✓					-					
Include location metadata with Video Push			✓				-			-			
Audio support			✓				-			-			
System Monitoring													
Access real-time and historical system performance information (refer to System Monitor section for the VMS for details)	-			-				- 🗸					
Installation													
Run without installation			-				✓		-				
Single step installer (installs client together with server)			-				-		✓				
Initial and update installations from management Server			-				-		<b>√</b>				
Notify about new updates	<b>√</b>			-				-					
Smart Connect <sup>3</sup>	-			-			-						
System access													
Auto-login			✓				-				✓		
Dual authorization			-				-		-		✓		
Two-step verification	- ✓			- ✓				-					
Secure (HTTPS) client-server connection	✓			✓				-					
Dynamic bandwidth adaptation with threshold setting	✓			√				<u>-</u>					
External identity provider support (OIDC) SSO	✓			✓				✓					
Biometry support			✓				-				-		

Velocity Vision Client	Velocity Vision Mobile		Velocity Visio	n Web Client	Veloc	Velocity Vision Smart Client				
Feature set when used with specific Velocity Vision VMS platform	Velocity Vision Standard Velocity Vision Advanced Velocity Vision Professional	Enterprise	Velocity Vision Standard Velocity Vision Advanced	Velocity Vision Professional Velocity Vision Enterprise	Velocity Vision Standard	Advanced Velocity Vision Professional	Velocity Vision Enterprise			
MDM (Mobile Device Management) support	√					-				
Authorization										
Restrict user access by client type (Web Client, Velocity Vision Mobile and Smart Client)	<b>√</b>		V	/		✓				
Time schedule-controlled user access to devices and functions	-	<b>√</b>	-	✓		- ✓				
Restrict user access by devices (cameras, microphones, I/O devices, etc.)	<b>√</b>		V	,		✓				
Restrict access to live, PTZ control, playback and export	V		V	,		✓				
Restrict access to setup	-		-			✓				
Personalization										
Application options	✓		-			<b>√</b>				
Centralized management of application options	-		-		- 🗸					
Application theme support	-		-		✓					
Task-oriented tabs	-		V			<b>√</b>				
Multiple task-oriented tabs	-		-			✓				
System Hardware accelerated video decoding	_		_			,				
Adaptive streaming	<u>-</u> √					✓ ✓				
Adaptive streaming  Adaptive playback	-		· ·			✓ ✓				
Direct streaming	<b>√</b>					-				
Multi-live streaming	-		· · · · · · · · · · · · · · · · · · ·			<b>√</b>				
Languages (Installation, UI and help function)						•				
Arabic	√5			75		<b>√</b>				
Bulgarian	√ <sup>5</sup>				<b>√</b> 6					
Croatian	√ <sup>5</sup>		✓		√ <sup>6</sup>					
Chinese (Simplified)	√ <sup>5</sup>		<b>√</b>		<b>√</b>					
Chinese (Traditional)	√5				· /					
Czech	√5				<b>√</b>					
Danish	√5		✓	5	√					
Dutch	√5		✓	75	<b>√</b>					
English	✓		<b>√</b>		✓					
Farsi	√5		✓		√6					
Finnish	√5		✓		√6					
French	√5		✓		✓					
German	√ <sup>5</sup>		<b>√</b>			<b>√</b>				
Hebrew	√5		✓			√6				
Hindi	√5		✓			√6				
Hungarian	√5		✓	5		√6				

Velocity Vision Client	Velocity Vision Mobile				Velocity Vision Web Client				Velocity Vision Smart Client				
Feature set when used with specific Velocity Vision VMS platform	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	Velocity Vision Standard	Velocity Vision Advanced	Velocity Vision Professional	Velocity Vision Enterprise	
Icelandic	√5					<b>√</b>	/5		√6				
Italian	√5			√5				✓					
Japanese	√5			√5				✓					
Korean			√ <sup>5</sup>		√5				✓				
Norwegian (Bokmål)	√5			√5				√6					
Polish			√ <sup>5</sup>		√5				✓				
Portuguese (Brazilian)	√5			√5				<b>√</b>					
Russian	√5			√5				✓					
Serbian	√5			√5				√6					
Slovak	√5			√5				√6					
Spanish	√5			√5			✓						
Swedish	√5			√5			✓						
Thai	√5			√5			√6						
Turkish	√5			√5			✓						
Ukrainian	√5			√5				√6					

<sup>&</sup>lt;sup>1</sup> Initial views created when using the "single computer" installation option

<sup>&</sup>lt;sup>2</sup> Limited to certain camera models that can perform video analytics and **export ONVIF compliant metadata** 

<sup>&</sup>lt;sup>3</sup> Requires Identiv Care SSA coverage

<sup>&</sup>lt;sup>4</sup> Feature only applicable to exports in Velocity Vision format

 $<sup>^{5}</sup>$  Velocity Vision Mobile server localized to same languages as the management interface and documentation is only available in English

<sup>&</sup>lt;sup>6</sup> Only the user interface is localized; user's manual and online help is not localized